Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12799583	@ad<"20020917"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/14 15:10
L2	45076	L1 and "714".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/14 15:10
L3	118	l2 and testing with register\$1 with processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/14 15:36
L4	492	l2 and fault\$1 near3 register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/14 15:36
L5	144	l4 and integrated adj circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/14 15:54
L6	69	714/726.ccis. and l1 and partial adj scan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/14 16:16
L7	198	714/726.ccls. and I1 and scan adj register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/14 16:16
L8	7	714/726.ccls. and I1 and partial adj scan and replac\$3 near5 register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/14 16:31

			_	<del>,</del>		
L9	17	714/726.ccls. and l1 and partial adj scan and scan adj register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/14 16:49
L10	27	714/726.ccls. and l1 and scan adj register\$1 and input\$4 near5 test adj pattern\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/14 16:59
L11	8	714/726.ccls. and l1 and scan adj register\$1 and (controller or processor) near5 test adj pattern\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/14 16:59
S1	3	(("5,717,700") or ("5,657,329") or ("5,648,733")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/10 18:41
S2	2	(("5,793,994") or ("5,694,542")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/04/04 16:36
S3	12799531	@ad<"20020917"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/10 18:41
S4	1288	S3 and scan adj register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/10 18:43
S5	606	S4 and "714".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/10 18:42
S6	36	S3 and (scan adj register\$1 with replac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/10 18:43
S7	6	("5319647").URPN.	USPAT	OR	OFF	2006/05/11 11:20
S8	9	("4357703"   "4974184"   "5212651"   "5291495"   "5319647"   "5661733"   "5717700"   "5949692"   "6141790").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 17:21

S9	16342	register near5 latch	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 17:22
S10	1	("6651197").URPN.	USPAT	OR	OFF	2006/05/11 17:25
S11	658	714/726.ccls.	USPAT	OR	OFF	2006/05/11 17:28
S12	12799583	@ad<"20020917"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/11 17:25
S13	3490473	S12	USPAT	OR	OFF	2006/05/11 17:26
S14	3490473	S12	USPAT	OR	OFF	2006/05/11 17:26
S15	3490473	@ad<"20020917"	USPAT	OR	OFF	2006/05/11 17:27
S16	627	S15 and S11	USPAT	OR	OFF	2006/05/11 17:27
S17	154	S16 and (scan adj register\$1)	USPAT	OR	OFF	2006/05/11 17:27
S18	33	S16 and (scan adj register\$1).ab.	USPAT	OR	OFF	2006/05/11 17:27
S19	627	S15 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 17:27
S20	22961403	@ad<"20020917"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 17:27
S21	1283	714/726.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 17:28
S22	1076	S20 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 17:28
S23	56	S22 and (scan adj register\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 17:37

S24	0	S22 and (register\$1 with input with reset) same fault\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 17:38
S25	68	S20 and (register\$1 with input with reset) same fault\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 17:41
S26	2	S20 and (register\$1 with replac\$3 with reset) same fault\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:00
S27	5	S20 and (register\$1 with replac\$3 with set) same fault\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2006/05/11 18:04
S28	218	S20 and (register\$1 with replac\$3 with reset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:10
S29	59	S20 and (register\$1 near3 replac\$3 with reset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:13
S30	4	S20 and (register\$1 near3 replac\$3 with reset) and "714".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:16
S31	627	714/726.ccls. and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:16

ſ					ī	· · · · · · · · · · · · · · · · · · ·
S32	0	S31 and (input adj register\$1 with reset\$3) and (scan adj register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:17
S33	49	S31 and (register\$1 with reset\$3) and (scan adj register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:18
S34	. 1	S31 and (register\$1 with reset\$3 with fault\$1) and (scan adj register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:26
S35	1	S31 and (register\$1 with reset\$3 same fault\$1) and (scan adj register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:20
S36	2	S31 and (register\$1 with reset\$3 same (fault\$1 or error\$1)) and (scan adj register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:20
S37	1	"714".clas. and S15 and (register\$1 with reset\$3 with fault\$1) and (scan adj register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:21
S38	1	S31 and (register\$1 with reset\$3 with fault\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:26
S39	2	S31 and (register\$1 with reset\$3 same fault\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:27

		LASI Scare	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		
S40	7	S31 and (register\$1 with reset\$3 same (fault\$1 or error\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 18:27
S41	5	S40 not S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 11:31
S42	12799583	@ad<"20020917"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/12 11:31
S43	1076	714/726.ccls. and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 11:31
S44	117	S43 and (scan adj register\$1 with input\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2006/05/12 11:32
S45	4	S43 and (scan adj register\$1 with input\$4 with replac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 14:30
S46	12799583	@ad<"20020917"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/12 14:31
S47	1076	714/726.ccls. and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/05/12 14:31
S48	0	S47 and (scan adj register\$1 with processor with terminal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 14:32

S49	1	S47 and (scan adj register\$1 with processor with direct\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 14:33
S50	3	S47 and (register\$1 with processor with direct\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 14:34
S51	23	S47 and (register\$1 with (error\$1 or test\$3) with direct\$2) and scan adj path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 14:38
S52	2	S47 and (scan adj register\$1 same (direct\$2 adj test\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 14:40
S53	23	S47 and (scan adj register\$1 and (direct\$2 adj test\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 14:50
S54	69	S47 and (partial adj scan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 17:20
S55	5	S47 and (partial adj scan) and (direct\$2 adj test\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 15:13
S56	10	S47 and "714".clas. and (test\$3 with register\$1) and (register\$1 with control\$3 with processor\$1) and (register\$1 with control\$3 with integrated adj circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 15:21

			<del>,</del>			<u></u>
S57	91	S47 and "714".clas. and (test\$3 with register\$1) and (input near5 register\$1) and ((processor\$1 or controller) near5 register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 15:48
S58	4872	S46 and (second adj registers or (two with (groups or sets or kinds) with registers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 15:49
S59	14	S47 and (second adj registers or (two with (groups or sets or kinds) with registers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 16:44
S60	12799583	@ad<"20020917"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/12 16:44
S61	1076	714/726.ccls. and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 16:44
S62	1076	S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 16:44
S63	17	S61 and (partial adj scan) and scan adj register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 18:02
S64	45076	"714".clas. and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 17:43

	1		T	т		<del></del>
S65	1217	S64 and input adj register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 17:44
S66	98	S64 and test\$3 near5 input adj register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 17:47
S67	76	S64 and test\$3 near5 input adj register\$1 and integrated adj circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 17:44
S68	14	S64 and testing near5 input adj register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 17:52
S69	68	S64 and testing near5 registers and (input adj register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 17:53
S70	64	S69 not S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 17:53
S71	11	S61 and (partial adj scan) and scan adj register\$1 and direct\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 18:02
S72	3	S61 and (partial adj scan) and scan adj register\$1 and direct\$2 adj connect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2006/05/12 18:03

S73	12799583	@ad<"20020917"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/13 14:19
S74	1076	714/726.ccls. and S73	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/13 14:20
S75	169	S74 and (test\$3 near5 separate\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/13 14:21
S76	21	S74 and (test\$3 near5 separate\$2 with register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/13 15:04
S77	0	S73 and ((test\$3 near5 separate\$2 with register\$1) and partial adj scan)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/05/13 15:04